



Multi Dock

Vigilant Multi Dock 2.0

Specification (Version 1.0)



Modification Record

Version	Modification Details	Editor	Approver	Signer
V1.0	Initial release	Mandy Xu		

Catalog

Modification Record1

Preface3

Symbol Explanation 4

Abbreviation Explanation 4

Product Features5

Specification 5

Product Appearance and Component Names6

Dimension Diagram7

Preface

- **About the Specification**

The Specifications provide details on the components and parameters of the vigilant multi-dock station 2.0 products. All content, including text, images, and graphics, is owned by Shenzhen Streamax Technology Co., Ltd. No part of this document may be reproduced, extracted, or modified without prior written consent from the company. The Specifications are provided without any warranties unless otherwise stated.

This document is intended for authorized users and technical support personnel. The product images and screen content are for reference only, and the actual product (including appearance, color, size) may vary. Please refer to the physical product for accurate details.

The data in this document are theoretical values based on testing in Streamax Technology's internal lab. Actual performance may vary due to factors like product differences, software versions, usage conditions, and environment.

Streamax may update or adjust the Specifications from time to time to reflect changes in the product's performance, features, or components, without prior notice.

- **Trademark Notice**

 is a registered trademark of Shenzhen Streamax Technology Co., Ltd. All other trademarks are the property of their respective owners.

- **Responsibility Disclaimer**

The products described in this document are provided "as is" with no warranties, express or implied, including but not limited to merchantability or fitness for a particular purpose. Streamax is not liable for any damages, including loss of profits, data, or documentation, resulting from the use of the product or Specifications.

Streamax is not responsible for security risks such as cyber-attacks, hacking, or virus infections when the product is connected to the internet. However, we will provide technical support as needed.

You agree to comply with all applicable laws when using this product. Streamax is not liable for any misuse of the product or any violation of third-party rights.

In case of conflict between the Specifications and applicable laws, the laws will take precedence.

Copyright © 2025 Shenzhen Streamax Technology Co., Ltd. All rights reserved.

Symbol Explanation

The following symbols are used to categorize and explain potential hazards that may arise from improper operation

Symbol	Explanation
	Warning: Conditions that could jeopardize the safety of the user or cause injury
	Important: Conditions that may lead to data corruption or damage to the device's firmware or hardware
	Note: Additional information, explanations of terms, and other relevant details

Abbreviation Explanation

Acronym	Full Name
BWC	Body Worn Camera


Product Features

- Support 6 BWC 2.0 and 6 batteries charging simultaneously
- Support 6 BWC 2.0 video evidence uploading
- Support wall and desktop installation
- LED status indicator allows you to visually check the device status

Specification

Product name			
Product Name		Vigilant Multi Dock V2.0	
LED Status			
	Indicator Light	Off	On / Flashing
	BWC Charging Indicator	No power supply	Power supply normal BWC inserted Serial Port Debugging
	Battery Charging Indicator	No power supply	Power supply normal Baterry charging Baterry full charged
Interface			
RJ45		1000M\100	
Power Input		24V	
Power Output		BWC charging port: 5V 2A Battery charging port: 4.35V 1.2A	
Maximum typical power consumption		120W	
Physical Property			
Dimension		16.06*5.39*10.67 inch (408*137*271 mm) (with wall bracket)	
Weight		135.38oz (3838g) (Bracket Included)	
Operation Temperature Range		-40.0°F -158°F (-40℃-70℃)	
Operating Humidity		95% non-condensing	


Product Appearance and Component Names




No.	Components	No.	Components
1	BWC Charging Port	2	BWC charging indicator
3	Battery Charging Port	4	Battery charging indicator
5	DC Power Port	6	Ethernet Port
7	Printer Serial Port		

Dimension Diagram

(Unit: mm)



Front Side Views



Front Top View

